

Generated On: 6/27/2002

File Number: 3874

Product Description: Crosslinked Polyethylene Water Distribution System (PEX)

Listee: TECHNOLOGIA HIDRAULICA THC S.A.

MAR DEL SUR NO. 7481
, SANTIAGO
CHILE

Expiration Date: 4 / 2003

Identification:

The tubing shall be marked with the manufacturer's name or trademark, ASTM F 877 PEX, pressure rating at 180° F, nominal size, standard dimension ratio and a code number identifying the compound and the date of manufacture. The fittings shall be marked with the manufacturer's name or trademark, and ASTM F 877 and the designation 180° F. Both tubing and fittings shall be marked with the UPC® certification mark.

Characteristics:

Crosslinked polyethylene plastic hot and cold water distribution systems made in one standard dimension ratio and intended for a maximum of 100 psi water service up to and including a maximum working temperature of 180° F. Components are comprised of tubing and/or fittings. Manufactured in compliance with ASTM F 877-99a. To be installed in accordance with the manufacturer's instructions and the latest edition of the Uniform Plumbing Code.

Models:

FLAIR-IT FITTINGS:

MODEL NO.	SIZE	DESCRIPTION
7802	1/2" Pipe x 1/2"	FPT Elbow
7803	1/2" x 1/2"	MPT Elbow
7805	1/2" x 3/4"	Elbow
7806	3/4"	Elbow
7809	3/4"p x 3/4"	MPT Elbow
7810	1/2" x 3/8"	MPT Elbow
7827	3/4"	Tee
7824	3/4" x 1/2" x 1/2"	Tee
7825	3/4"p x 1/2"p x 3/4"p	Tee
7826	3/4" x 3/4" x 1/2"	Tee
7834	1/2"p x 1/2"p 1/8"	FPT Tee

7841	1/2" x 1/2"	FPT Coupling
7842	1/2" x 1/2"	MPT Coupling
7845	1/2" x 3/4"	Coupling
7846	3/4" x 3/4"	Coupling
7847	3/4" x 3/4"	FPT Adapter
7848	3/4"p x 3/4"M	BSP Male Adapter
7872	3/4"p x 3/4"M	BSP Male Adapter

Polysulfone Fittings

1/2" Elbow

1/2" Tee

1/2" Connector

Additional Companies:

Additional Company Info: